




Epson Stylus Pro 7450 / 9450



High productivity
large format printing

Take total control of your wide format printing with our 44" Epson Stylus Pro 9450 and 24" Epson Stylus Pro 7450. Giving you a high level of productivity with all of the quality you expect from Epson technology, it is ideal for use in POS, CAD, GIS and even mask making applications. You can rely on professional quality results every time on the widest range of media – through the Epson UltraChrome™ ink system and its dual CMYK ink configuration.

Epson Stylus Pro 7450 / 9450

Our new Epson Stylus Pro 7450 and Epson Stylus Pro 9450 wide-format printers use a 4-colour Epson UltraChrome™ ink set to give you high speed and high quality along with unmatched flexibility, reliability and repeatability. With support for a wide range of media from A4 up to B0+, the Epson Stylus Pro range is ideal for applications from POS materials and 2D/3D CAD drawings to producing detailed GIS maps and architectural designs. And because we have made the range easy to use, you don't have to be an expert to get the very best from your printer with minimum effort and low running costs.

Designed for speed and quality

You can be sure of fast, professional results every time, with our advanced Epson Micro Piezo™ and Epson Ultra Micro Dot™ print system and its unique Variable-sized Droplet Technology. With impressive resolution up to 1440 x 720dpi, you get accurate rendition of even the finest detail.

When it comes to breathing life into your images with vibrant and natural colour, our Epson UltraChrome™ 4-colour ink set with wide colour gamut gives you excellent colour reproduction. With the archival capabilities of the Epson UltraChrome ink set, you can create impressive results that will last a lifetime on virtually any type of matte media and selected glossy media.

At Epson, we know it's not just about the quality. Having a highly productive in-house print solution that is easy to use and won't let you down is just as important. With the Epson Stylus Pro range, you will quickly see a strong return on your investment and a reduction in your day-to-day print costs.

Built with you in mind

We know that corporate print solutions need to be fast, flexible and reliable without the need for continual supervision. We have provided large capacity ink cartridges to enable non-stop operation, so you can enhance productivity and stay ahead of your competition.

For our CAD and GIS customers, accurate, repeatable colour is very important. That's why the Epson Stylus Pro range creates high quality 2D and 3D visualisations, renderings and presentations on a wide range of media including board up to 1.5mm thick.


And for precision line drawings, the image quality of the Epson Stylus Pro range is difficult to match.

Even for specialist requirements such as screen printing, the Epson Stylus Pro range prints on suitable transparent media with screen rulings up to 150 lpi to create perfect black & white masks.

Excellent, photorealistic colour prints that come to life with 4-colour Epson UltraChrome™ ink set



Impressive combination of speed and quality with our unique Epson Micro Piezo™ and Epson Ultra Micro Dot™ print technology



Lightfast results that stay looking good for up to 75 years (indoor)

Professional results every time on matte or selected gloss media up to B0+

Vibrant colour and accurate image quality delivered by 1440dpi print resolution and 3.5pl Epson Ultra Micro Dot™ technology

Your images will last a lifetime using Epson UltraChrome™ inks with lightfastness up to 75 years (indoor)



Intuitive control panel for easy operation

Matte Black
Matte Black
Magenta
Magenta

Yellow
Yellow
Cyan
Cyan

Print on a wide range of commonly used media sizes, including Din sizes.

Reliable ink delivery at high speed through our pressurised cartridges and dual CMYK ink configuration

Epson Stylus Pro 9450 (44" width)

For more information visit us on the
Web at: www.xerox.co.uk

| Models | | Epson Stylus Pro 7450 | Epson Stylus Pro 9450 |
|------------------------|-------------|--|---|
| Size | | 24 inch (A1+) | 44 inch (B0+) |
| Print Technology | | Epson Micro Piezo™ drop-on-demand inkjet technology Epson Variable-sized Droplet Technology and 3.5pl Epson Ultra Micro Dot™ Print head configuration: 180 nozzles x 8 colours | |
| Ink System | | Dual 4 colours pigmented ink (C, M, Y, Matte K) with CSIC with 8 slots | |
| Resolution | | 1440 x 720dpi Epson Variable-sized Droplet Technology | |
| Speed | | Up to 23.3 m²/Hr (A1/Plain Paper/Draft mode) | Up to 34.3 m²/Hr (B0+/Plain Paper/Draft mode) |
| Driver | | Mac OS® X 10.x.x, Microsoft® Windows® 2000 / XP / Vista | |
| Interfaces | | Standard: USB 2.0 (Compatible with 1.1) Ethernet 10/100 interface | |
| Roll Dimensions | | Core diameter 2" or 3". Max. outside diameter 150mm | |
| Paper Handling | Roll Media | Single roll (1 roll < 150mm / outside diameter) Media width 203.2mm – 610mm (8" – 24") Minimum media length 279mm Media thickness 0.08mm – 0.50mm | Single roll (1 roll < 150mm / outside diameter) Media width 203.2mm – 1118mm (8" – 44") Minimum media length 279mm Media thickness 0.08mm – 0.50mm |
| | Cut Sheet | Manual insertion feeder for media up to 1.5mm Media width size A4/LTR – A1+/24", (210mm – 610mm) Media thickness 0.08mm – 1.50mm | Manual insertion feeder for media up to 1.5mm Media width size A4/LTR – A0+/44", (210mm – 1118mm) Media thickness 0.08mm – 1.50mm |
| Print Margins | Roll Media | 3 modes available; mode 1: 3mm on all edges (top, sides, bottom); mode 2: 15mm (top and bottom), 3mm (sides); mode 3: 15mm (top, sides, bottom) | 3 modes available; mode 1: 3mm on all edges (top, sides, bottom); mode 2: 15mm (top and bottom), 3mm (sides); mode 3: 15mm (top, sides, bottom) |
| | Sheet Media | 2 modes available; mode 1: 3mm (top, sides, bottom); mode 2: 3mm (top and sides), 14mm (bottom) | 2 modes available; mode 1: 3mm (top, sides, bottom); mode 2: 3mm (top and sides), 14mm (bottom) |
| Ink Cartridges | | 110 and 220ml ink capacity, single size packaging Pressurised, Intellidrive cartridge system for ink level control even on re-inserted cartridge | |
| Lightfastness | | Up to 75 years for colour prints | |
| Weight | | Approx. 48.9Kg (without ink and media) Stand approx. 10.5Kg | Approx. 90Kg (without ink and media) |
| Dimensions (w x d x h) | | 1178mm x 501mm x 560mm 1178mm x 745mm x 1180mm (with Stand) | 1702mm x 678mm x 1196mm |
| Noise Level | | Approx. 50dB | Approx. 50dB |
| Power Consumption | | Printing: 55W or less Standby: 6W or less PowerOff: 1W or less | Printing: 50W or less Standby: 6W or less PowerOff: 1W or less |
| Options | | 2/3 inch Dual Roll Feed Spindle (High tension) Maintenance Tank | 2/3 inch Dual Roll Feed Spindle (High tension) Maintenance Tank (x2) |

Your Xerox Reseller is:

Springstar Limited, Park House, Greenhill Crescent, Watford, Hertfordshire WD18 8PH
Tel: 01923 819999 Email: sales@springstar.co.uk Web: www.springstar.co.uk

©2006 Xerox Corporation. All rights reserved. XEROX® and AccuES are trademarks of or licensed to Xerox Corporation in the United States and other countries. Adobe® and PostScript® are registered trademarks of Adobe Systems, Inc. Windows® is a registered trademark of Microsoft Corporation in the United States and other countries. AutoCAD® is a registered trademark of Autodesk, Inc. Product appearance, build status, and/or specifications are subject to change without notice. 708P88948GBE